## **Glentham** LIFE SCIENCES

Glentham Life Sciences Ltd Unit 5 Leafield Way Corsham SN13 9SW United Kingdom

- t: +44 (0) 1225 667 798
- f: +44 (0) 2033 978 909
- e: info@glentham.com

w: www.glentham.com

## **Certificate of Analysis**

| Product Name         | Chitosan                                           |                           |              |
|----------------------|----------------------------------------------------|---------------------------|--------------|
| Glentham Code        | GC1909                                             |                           | • 0          |
| CAS Number           | 9012-76-4                                          |                           |              |
| EINECS               | 618-480-0                                          |                           | no           |
| MDL Number           | MFCD00161512                                       |                           | Clontha      |
| Batch Number         | 908UPO                                             |                           | 011111       |
| Molecular Weight     | ~200,000                                           |                           | 011111       |
| Molecular Formula    | (C <sub>6</sub> H <sub>11</sub> NO <sub>4</sub> )n |                           |              |
| Storage Temp.        | +20°C                                              |                           | * OH         |
| Property             |                                                    | Specification             | Batch 908UPO |
| Physical Description |                                                    | White to light tan powder | Conforms     |
| Deacetylated degree  | :                                                  | ≥ 90.0%                   | 92.11%       |
| Water                | :                                                  | ≤ 8.0%                    | 5.02%        |
| Sulphated Ash        | :                                                  | ≤ 1.5%                    | 0.67%        |

| Deacetylated degree | ≥ 90.0%     | 92.11%   |
|---------------------|-------------|----------|
| Water               | ≤ 8.0%      | 5.02%    |
| Sulphated Ash       | ≤ 1.5%      | 0.67%    |
| Arsenic             | ≤ 0.5ppm    | Conforms |
| Heavy Metals        | ≤ 10ppm     | Conforms |
| Total Plate Count   | ≤ 1000CFU/g | Conforms |
| Yeast & Mould       | ≤ 100CFU/g  | Conforms |

| Specification Version | v1.0       |
|-----------------------|------------|
| Manufacture Date      | 2018-06-15 |
| Re-Test Date          | 2026-12-12 |

Glentham Life Sciences confirm that the above referenced product conformed to the information displayed in this document on the quality release date. Please check www.glentham.com or contact us using the details above for the current version of this document.

This document was generated electronically and is therefore valid without signature. © Glentham Life Sciences Ltd, 2024